

### **Ball Pool**

The ball pool is approved by TUV comply with EN1176, and the plastic ball for ball pool is Dia 8cm with thick and durable surface, which is TUV test passed under EN 71-1(Mechanical and Physical),-2(Flammability) and -3(non-toxic). The colors for balls are also brighter which is realistic and more appealing to kids.



### **Triangle climbing elevator**

The triangle climbing elevator is certified by TUV in compliance with EN1176, which is easy for players climb up and come down through multiple levels of the play ground, increase more circulation.



### **Webbing Decks and Elevator**


The webbing is approved by TUV tests for EN 71-1(Mechanical and Physical),-2(Flammability) and -3(non-toxic) and and EN1176-10 Flammability, are also approved by SGS Tests for Flammability-UL-94&NFPA 701

Due to high-quality materials we used, the webbing events can remain its original shape without transformation for a long time.



### **Bridge**

Shaped web bridges has small meshes which meet the safety requirements of children, the webs we use are of high-quality, strong and solid enough. The web is approved by TUV tests for EN 71-1(Mechanical and Physical),-2(Flammability) and -3(non-toxic) and and EN1176-10 Flammability,are also approved by SGS Tests for Flammability-UL-94&NFPA 701



### **Themed Soft Padded Rope Course**

Custom made soft padded rope course inside playground are certified by TUV in compliance with EN1176, this activity could be designed and produced under different theme, bring challenging play experience for kids.



### **Cave Crawl**

We provide different options for high quality crawl tunnels, these are made by solid and stable webbing materials which are certified by TUV upon EN71.



### **Tube Crawl**



Quality standard for our plastic products: Grade UL-94, EN71; High quality, smoothly finished, UV protected; TUV tested non-toxic and fire retardant. Only use the highest grade material not only adding to overall durability but also increasing longevity of your play center ensuring you receive the best value.